

**ORDINANCE NO. 07-43 AC CMS**

**AN ORDINANCE AUTHORIZING THE CITY MANAGER TO ENTER INTO A  
CONTRACT WITH UTILITY TRUCK EQUIPMENT, INC. OF CIRCLEVILLE, OHIO, THROUGH THE  
STATE OFFICE OF PURCHASING FOR THE PURCHASE OF AN AERIAL LIFT TRUCK FOR  
OBERLIN MUNICIPAL LIGHT AND POWER SYSTEM  
AND DECLARING AN EMERGENCY**

**BE IT ORDAINED** by the Council of the City of Oberlin, County of Lorain, State of Ohio, five-sevenths (5/7ths) of all members elected thereto concurring:

**SECTION 1.** That pursuant to Ohio Revised Code Section 125.04 and City of Oberlin Resolution No. R88-7, the City Manager is hereby authorized and directed to enter into a contract with Utility Truck Equipment, Inc. of Circleville, Ohio, through the Department of Administrative Services Cooperative Purchasing Program for the purchase of a Versalift VST 6000 Aerial Lift Truck for Oberlin Municipal Light and Power System for a purchase price of \$171,190.


**SECTION 2.** It is hereby found and determined that all formal actions of this Council concerning or relating to the adoption of this Ordinance were adopted in an open meeting of this Council and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

**SECTION 3.** That this Ordinance is hereby declared to be an emergency measure necessary for the preservation of the public peace, health, and safety of the citizens of the City of Oberlin, or to provide for the usual daily operation of a municipal department, to wit:

"to authorize the purchase of equipment necessary for Oberlin Municipal Light and Power System as soon as possible to ensure the efficient operation of the City of Oberlin," and shall take effect immediately upon passage.

**PASSED:** 1<sup>st</sup> Reading – May 7, 2007 (E)  
2<sup>nd</sup> Reading –  
3<sup>rd</sup> Reading –

**ATTEST:**

  
\_\_\_\_\_  
Sheri Haury  
INTERIM CLERK OF COUNCIL

  
\_\_\_\_\_  
Daniel Gardner  
PRESIDENT OF COUNCIL

**POSTED:** May 8, 2007

**EFFECTIVE DATE:** May 8, 2007



OBERLIN MUNICIPAL LIGHT AND POWER SYSTEM ♦ 289 SOUTH PROFESSOR STREET ♦ OBERLIN, OHIO 44074

Phone (440)775-7260

Fax (440)775-1546

MEMORANDUM

**To:** Gary Boyle, Interim City Manager  
**Re:** Aerial Lift Truck Purchase - Ohio Cooperative Purchasing Program  
**From:** Steve Dupee, Director  
**Date:** April 16, 2007

A handwritten signature in black ink, appearing to read "Steve Dupee", is written over the "Date:" line.

Our 2007 capital budget includes the purchase of a new aerial lift truck for the Electric Distribution Division. We are respectfully requesting procurement of this aerial lift truck through the Ohio Department of Administrative Service's Cooperative Purchasing Program. Utility Truck Equipment, Inc. (UTE) of Circleville, Ohio is the authorized vendor for this equipment through a State Term Schedule (STS) 778515AB. I have attached a copy of the applicable State Term Schedule and the preliminary order summary from UTE for the Versalift VST-6000 aerial lift truck.

The Versalift VST 6000 will be utilized for daily operation and maintenance of the City's electric distribution system. This truck will have a working height of 62', include a 2 man bucket and have a articulating/telescoping boom. This truck will provide the necessary working height as well as maneuverability for utility personnel to construct and maintain our distribution system, in particular, on taller poles which increasingly are becoming commonplace in our distribution system. To offset the cost of the new truck, we propose to surplus and sell a used 65' double bucket truck purchased in 1988. This truck has not been usable as a daily operator due to it chassis size as well as its non-articulating, elbow boom set-up. Retail value of this truck is estimated at \$16,000 to \$18,000.

As you will see on page 1 of UTE's order summary, the base contract price plus standard options is \$159,395. Distribution staff are recommending some additional non-standard options shown on page 2 and 3 of the order summary at a cost of \$11,795 bringing the total cost to \$171,190. Our approved 2007 capital budget request for this purchase was \$166,000. This price was based on being able to procure a 2007 International Chassis. A 2007 International chassis is not available due to new EPA guidelines on engine emissions. Capital funds are available to complete the purchase of this truck at \$171,190.

Attached is a draft ordinance for this purchase on first reading only. I respectfully request that this ordinance be placed on the May 7<sup>th</sup> City Council agenda. Utility Truck Equipment has completed Equal Employment Opportunity documents which have been forwarded to the Code Administration office. I will provide a verbal report on UTE complying with EEO requirements. Terry Evans, Distribution Superintendent, will be on hand to answer any questions related to this purchase. In the meantime, if you have any questions, just let me know.

Thanks Gary.

/sd

cc: Terry Evans, Distribution Superintendent

STATE OF OHIO  
DEPARTMENT OF ADMINISTRATIVE SERVICES  
GENERAL SERVICES DIVISION  
OFFICE OF PROCUREMENT SERVICES  
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

STATE TERM SCHEDULE: LAWN, GARDEN AND HEAVY CONSTRUCTION EQUIPMENT

STATE AND LOCAL GOVERNMENT PRICING SCHEDULE

SCHEDULE NUMBER: 778515AB

EFFECTIVE DATES: 12/01/04 TO 11/30/08

The Department of Administrative Services has completed the evaluation and analysis of the State Term Schedule (STS) offering submitted by the Contractor as listed herein. The Contractor listed herein has been determined to provide competitive, economical and reasonable pricing for the items contained in their offer. The respective offer, including the Standard Contract Terms & Conditions, any proposal amendment, special contract terms & conditions, specifications, pricing schedules and any attachments incorporated by reference and accepted by DAS become a part of this State Term Schedule.

This State Term Schedule is effective beginning and ending on the dates noted above unless, prior to the expiration date, the Schedule is renewed, terminated, or cancelled in accordance with the Standard Contract Terms and Conditions dated 10/25/06.

This State Term Schedule is available to all state agencies, state institutions of higher education and political subdivisions properly registered as members of the Cooperative Purchasing Program of the Department of Administration Services, as applicable.

Agencies are eligible to make purchases of the supplies and/or services in any amount and at any time as determined by the agency (see maximum order limit). The State makes no representation or guarantee that agencies will purchase the supplies and/or services approved in the State Term Schedule.

State agencies may make purchases under this State Term Schedule up to \$1000.00 using the state of Ohio payment card. Any purchases that exceed \$1000.00 will be made using the official state of Ohio purchase order (ADM-0523). Any non-state agency, institution of higher education or Cooperative Purchasing member will use forms applicable to their respective agency.

Questions regarding this and/or the State Term Schedule may be directed to:

Maureen McGuire, CPPB  
mo.mcguire@das.state.oh.us

This State Term Schedule and any Amendments thereto are available from the DAS website at the following address:



<http://www.ohio.gov/procure>

Signed: \_\_\_\_\_  
Hugh Quill, Director Date

**APPROVED PRODUCTS/SERVICES:** Only those vendors, products or services as listed in the price pages, approved by the Office of Procurement Services, may be purchased from this State Term Schedule. Any vendors, prices, terms, conditions, products or services not listed in the approved price sheets are outside the scope of this schedule.

**MANDATORY USE CONTRACTS:** All General Distribution Contracts (GDC), Limited Distribution Contracts (LDC), Multiple Award Contracts (MAC), and Request For Proposals (RFP) take precedence over this State Term Schedule (STS). This STS is only for governmental entities without a mandatory use contract.

**EXCLUDED ITEMS:** (State Agencies Only) In accordance with the Ohio Revised Code Sections 5147.07, 4115.31, through 4115.35, 5119.16 and 3304.28 through 3304.33 state agencies are required to purchase through Ohio Penal Industries (OPI); Community Rehabilitation Programs (CRP); Department of Mental Health (DMH) Office of Support Services (Central Warehouse and Pharmacy Services); and Rehabilitation Services Commission (RSC). State agencies must obtain a waiver from OPI, CRP, DMH Central Warehouse or Pharmacy Services, and/or RSC to procure from this schedule.

**SPECIAL NOTE:** THE STATE OF OHIO INCLUDING BUT NOT LIMITED TO ITS AGENCIES, BOARDS, COMMISSIONS, DEPARTMENTS, STATE UNIVERSITIES, STATE VOCATIONAL SCHOOLS, STATE COMMUNITY COLLEGES OF OHIO, AND ANY ENTITY AUTHORIZED BY LAW TO USE THIS STATE TERM SCHEDULE (THE "STATE") IS NOT OBLIGATED TO PROCURE ANY PRODUCTS OR SERVICES FROM THIS STATE TERM SCHEDULE. THIS TERM SCHEDULE SHALL NOT BE CONSTRUED TO PREVENT THE STATE FROM PURCHASING PRODUCTS OR SERVICES USING OTHER PROCUREMENT METHODS AS AUTHORIZED BY LAW.

**NOTICE TO CONTRACTOR/VENDOR:** It is the responsibility of the contractor's contact to maintain this State Term Schedule with current information. All updates i.e., telephone numbers contact names, email addresses, tax identification number, prices, and catalogs etc., are required to be processed through the formal amendment authorization process which is initiated by way of a written request from the contractor's contact.

#### CONTRACTOR INDEX

**CONTRACTOR:**

31-0989420  
Utility Truck Equipment, Inc.  
PO Box 110  
Circleville, OH 43113

**CONTRACTOR'S CONTACT:**

Mr. John Mattix  
Email: [jmattix@utilitytruck.net](mailto:jmattix@utilitytruck.net)  
Telephone: (740) 474-5151  
Fax: (740) 474-4402  
Web: [www.utilitytruck.net](http://www.utilitytruck.net)

**TERMS:** Net 30 Days

**DELIVERY:** 150-180 Days A.R.O.  
FOB Destination

**CONTRACTOR'S MIS/IT CONTACT:**

Mr. John Mattix  
Email: [jmattix@utilitytruck.net](mailto:jmattix@utilitytruck.net)  
Telephone: (740) 474-5151  
Fax: (740) 474-4402  
Web: [www.utilitytruck.net](http://www.utilitytruck.net)

**CONTRACTOR'S USAGE AND REVENUE SHARE CONTACT:**

Mr. John Mattix  
Email: [jmattix@utilitytruck.net](mailto:jmattix@utilitytruck.net)  
Telephone: (740) 474-5151  
Fax: (740) 474-4402  
Web: [www.utilitytruck.net](http://www.utilitytruck.net)

**BASIC ORDER LIMITATIONS**

Minimum: \$100.00

Maximum: \$350,000.00 - Agencies should contact State Purchasing when they expect to exceed the Maximum Order Limitation.

\*\* Rate Schedule: Current Price List dated February 2007**CONTRACTOR INDEX****NIGP CODE NUMBERS:** All purchase orders placed against this state term schedule shall list the following class, item, group numbers, detail and check digits for the respective items.

<b>P.O.'s To:</b>	<b>Remit To:</b>	<b>Contractor/Dealer Contact:</b>
*31-0989420 Utility Truck Equipment, Inc. PO Box 110 Circleville, OH 43113	*31-0989420 Utility Truck Equipment, Inc. PO Box 110 Circleville, OH 43113	Mr. John Mattix Email: <a href="mailto:jmattix@utilitytruck.net">jmattix@utilitytruck.net</a> Telephone: (740) 474-5151 Fax: (740) 474-4402 Web: <a href="http://www.utilitytruck.net">www.utilitytruck.net</a>
<b>Contractor NIGP Codes:</b>		<b>Service Counties:</b>
Trucks with Specialized Bodies-Aerial Towers, all inclusive, (Utility Truck)	070-53-99-007-8	All 88 Counties

\* **NOTICE TO CONTRACTOR:** ALL INVOICES TO THE STATE OF OHIO **MUST** SHOW THE CONTRACTOR/DEALER TIN. THIS CONTRACT SHOWS YOUR NUMBER AS PART OF THE ADDRESS AND IS ALSO YOUR CURRENT CONTRACTOR/DEALER NUMBER.

\* **NOTICE TO INSTITUTIONS:** Your purchase orders against this contract **MUST** include the contractor/dealer number as shown above.

\*\* Indicates the addition of new products and electronic price list dated February 2007, effective with all orders issued on or after March 19, 2007.

SUMMARY OF AMENDMENTS

Amendment Number	Revision Date	Description
6	03/19/07	Indicates the addition of new products and electronic price list dated February 2007, effective with all orders issued on or after March 19, 2007.
5	02/28/07	To update to S&LG terms and conditions dated 10-25-06.
4	09/15/06	Indicates an updated to the rate schedule and the addition of the new electronic price list dated August 2006 effective with all orders issued on or after September 15, 2006.
3	08/22/05	Update price list with addition of new aerial device and body options and price increase on UTE-60 on page three (3), correction to the delivery time to 150-180 days ARO on page two (2).
2	03/15/05	Addition of new 29' Aerial Units to price list on page three (3)
1	02/15/05	Correction of contractor's contact email address, addition of the Summary of Amendments and conversion of the contract to the current format



UTILITY TRUCK EQUIPMENT, INC.  
P.O. BOX 130  
23893 U.S. 23 SOUTH  
CIRCLEVILLE OH 43113

---

Telephone 740-474-5151

Fax 740-474-4402

## OHIO STS CONTRACT SCHEDULE # 778515AB

### 60' AERIAL UNIT – FEBRUARY 2007

#### AERIAL TOWER AND ACCESSORIES

Versalift model VST-6000-I insulated aerial tower with a maximum working height of 65', and a maximum horizontal side reach of 40'. Includes the following features and accessories:

- 24" x 48" x 42" enclosed fiberglass platform with liner and cover.
- Full pressure platform mounted single handle control.
- Full pressure individual lower controls, with upper control override.
- Hydraulic platform leveling system with upper and lower tilt controls.
- 180 degree hydraulic platform rotator system with platform mounted control.
- Combination articulating/telescoping boom assembly.
- Upper fiberglass telescoping boom with outer boom insert.
- Articulating lower boom with 24" fiberglass insert.
- ANSI category "C" insulation rating for 46KV and below.
- 360 degree continuous rotation.
- Center mount pedestal ahead of rear axle, with booms stowed to the rear.
- Four (4) hydraulic outriggers with integral full length subframe.
- 25 gallon integral oil reservoir located in pedestal.
- 8 GPM open center hydraulic system.
- Electric shift power take off and flange mounted hydraulic pump.
- One (1) set of hydraulic tool outlets located at platform with pressure limit.
- Remote engine stop/start system with upper and lower controls.
- Two speed engine throttle system with upper and lower controls.
- 12 volt emergency power system with upper and lower controls.
- Electronic integration with International chassis electrical system.
- Upper boom storage cradle with ratchet type tie down strap.
- Tubular rubber platform support.
- Two (2) safety harnesses with lanyards.
- Two (2) operator/service manuals.
- Finish paint standard white urethane.
- ANSI A92.2 data plate.
- Complete installation and testing of aerial tower and accessories.

**60' AERIAL UNIT****AERIAL LINE BODY**

Brand FX Model BFXB150-48 fiberglass line body, 150" long, 94" wide, with 18" deep side compartments. Includes the following features and accessories:

- 6" steel body understructure with steel treadplate cargo area floor.
- Body modification for installation of aerial tower and subframe.
- Stainless steel hinges and recessed two stage paddle latches.
- Door holders on all side compartment doors.
- Automotive bulb type rubber door seals on all body doors.
- Deluxe interior package with material trays, hooks, and long shelf storage.
- Top access opening above curbside horizontal with weatherproof lid.
- Curbside access steps to cargo area.
- 30" full width steel treadplate rear tailshelf.
- ICC rear bumper with gripstrut step each side.
- Curbside rear grab rail.
- Four (4) composite outrigger pads and holders.
- Four (4) rubber wheel chocks and holders.
- BP100A heavy duty pintle hook assembly.
- Fire extinguisher, first aid kit, and triangle reflector kit.
- Standard D.O.T. lighting package.
- Dome light in each compartment with integral switch.
- Four (4) light strobe system.
- Lighted master switch on dash.
- Electric back up alarm.
- Rear trailer receptacle.
- Rear mud flaps.
- Standard FX body white gelcoat finish on sideboxes.
- Complete installation of body and accessories.



**60' AERIAL UNIT****CAB AND CHASSIS**

- 2007 or newer International 4300 4x2 chassis cab.
- 175" wheelbase, 108" C.A.
- Two (2) front tow hooks.
- 80,000 PSI high strength steel frame, 15.94 SM.
- DT466E electronic turbocharged diesel engine, 225 H.P.
- Allison 3000-RDS-P 5-speed automatic transmission with PTO gear.
- Dana Spicer 21060D 21,000# single speed rear axle for 65 mph.
- 200 series wheel ends, and driver controlled main locking rear differential.
- 23,500# rear springs with 4500# auxiliaries.
- 12,000# front axle and tapered leaf springs.
- Anti-lock air brake system with dash mounted parking brake.
- Automatic front and rear slack adjusters.
- Bendix heated air dryer.
- 13.2 CFM air compressor.
- Power steering with tilt type steering wheel.
- Single horizontal exhaust with 2007 Federal emissions package.
- 140 amp alternator.
- Three maintenance free batteries L.H. side under cab, 1950 CCA.
- AM/FM stereo radio with cassette.
- 7-way trailer connection socket.
- Engine shutdown with 30 second delay.
- 6 switch body circuit with power module.
- International chassis programming for UTE remote engine control systems.
- Low coolant indicator with audible alarm.
- Manual reset circuit breakers with trip indicators.
- Engine block heater.
- Electronic hand throttle.
- Electronic remote engine control for auxiliary throttle.
- Fuel / water separator with heater.
- 50 gallon R.H. step fuel tank.
- Conventional 80" wide cab with deluxe interior trim.
- Air suspension cloth driver seat with two man cloth passenger seat.
- Standard gauge cluster with tachometer.
- Engine hour meter.
- Factory air conditioning.
- West coast mirrors with integral spot mirrors.
- Interior grab handles.
- 22.5 x 8.25 10-hole hub piloted steel disc wheels, painted white.
- 11R22.5G Goodyear G159 radial front tires.
- 11R22.5G Goodyear G164RTD radial rear tires.
- International code 9219 standard white paint.

**60' AERIAL UNIT****STANDARD UNIT PRICE.....\$164,359.00.****CONTRACT DISCOUNT.....(\$13,149.00).****TOTAL F.O.B. DESTINATION.....\$151,210.00****STANDARD UNIT OPTIONS**

<b><u>OPTION #</u></b>		<b><u>PRICE EACH</u></b>
1)	Aerial tower/body package only, less chassis cab.	\$95,650.00
2)	Versalift VO-355-MHI overcenter material handling aerial Tower in lieu of VST-6000-I. Includes hydraulic winch and Jib package, 24" x 48" single platform.	\$12,500.00
3)	Standard International non-metallic colors other than white. Includes matching color on tower and body.	\$1800.00
4)	Ziebart rustproof chassis cab and body understructure.	\$800.00
5)	Extended cab chassis in lieu of regular cab.	\$2450.00
6)	4-door crew cab chassis in lieu of regular cab.	\$5900.00
7)	Air ride passenger seat in lieu of 2-man bench.	<b>DEDUCT</b> (\$30.00)
8)	245 H.P. engine in lieu of 225 H.P.	\$1250.00
9)	255 H.P. engine in lieu of 225 H.P. (4" taller above frame)	\$1675.00
10)	6-speed manual transmission in lieu of automatic.	<b>DEDUCT</b> (\$4600.00)
11)	Delete factory air conditioning.	<b>DEDUCT</b> (\$465.00)
12)	Power door locks, power windows, heated mirrors.	\$875.00
13)	Trailer air brake connections at rear near pintle hook.	\$1450.00
14)	Material handling winch and <u>manual</u> jib package	\$3000.00
15)	Material handling winch and <u>hydraulic</u> jib package	\$5000.00
16)	Jib and winch preparation package only for use with existing customer furnished Versalift winch with manual jib.	\$1850.00
17)	Hydraulic tool outlets at curbside rear of tailshelf.	\$750.00

**60' AERIAL UNIT**

18) Premium aluminum body understructure, with aluminum treadplate floor, cargo wall liners, and compartment tops.	\$2750.00
19) Fiberglass transverse compartment with aluminum treadplate overlay, between front verticals, with top opening lid and center shelf (front compt. Hooks 2-0-2).	\$1050.00
20) Pull out drawer in bottom of transverse.	\$575.00
21) Aluminum ladder rack assembly, installed.	\$795.00
22) Winch and jib storage post in cargo area.	\$320.00
23) #2 curbside compt. with shelving in lieu of access opening.	\$200.00
24) Delete door and opening above curbside horizontal. <b>DEDUCT</b>	(\$150.00)
25) 96" x 18" x 12" aluminum top box with two (2) lids.	\$1650.00
26) Aluminum gripstrut installed full length of sidebox, per side.	\$675.00
27) Rod lock door system for side compartments.	\$390.00
28) Additional divider shelves, each.	\$100.00
29) High stow boom with special rear access ladder.	\$875.00
30) UTE custom heavy duty cab protector assembly.	\$5950.00
31) Complete LED lighting package.	\$275.00
32) Star Beam dual bulb remote control spotlight.	\$1090.00
33) Post mount spotlight, per side.	\$375.00
34) Additional standard amber strobes, each.	\$450.00
35) Whelen model #9308 patrol style light bar.	\$2600.00
36) Underbody lighting kit for night operations.	\$660.00
37) 1200 watt inverter with curbside rear receptacle.	\$1395.00
38) Special City of Cleveland 60' package (see attached description)	\$18,130.00

**NOTES**

- Contract subject to manufacturer's standard price increases.
- Delivery: Approximately 180-210 days after receipt of order.
- Terms: Net 10 days.

We appreciate the opportunity to assist with your equipment requirements. If you have any questions or require additional information, please contact us at your earliest convenience.

Sincerely,  
Utility Truck Equipment, Inc.

*Rick Ellingsworth*  
Rick Ellingsworth



UTILITY TRUCK EQUIPMENT, INC.  
P.O. BOX 130  
23893 U.S. 23 SOUTH  
CIRCLEVILLE OH 43113

SALES / SERVICE / RENTALS

Telephone 740-474-5151

Fax 740-474-4402

**CITY OF OBERLIN  
VST-6000 ON OHIO STS CONTRACT  
SCHEDULE # 778515AB**

**PRELIMINARY ORDER SUMMARY**

**BASE CONTRACT AND STANDARD OPTIONS**

- VST-6000-I per standard specifications. \$151,210.00
- Modified "A" frame rear stabilizers. Standard
- PTO integration with chassis parking brake and transmission Standard
- Option #5 – extended cab chassis. \$2450.00
- Option #7 – air ride passenger seat. DEDUCT (\$30.00)
- Option #18 – Premium aluminum package. \$2750.00
- Option #19 – Fiberglass transverse with aluminum overlay. \$1050.00
- Option #24 – Delete door and opening above curbside horiz. (\$150.00)
- Option #31 - Complete LED lighting package. \$275.00
- Option #32 - Star beam dual bulb remote spotlight. \$1090.00
- Option #33 – Two (2) post mount spotlight, one (1) each side. \$750.00

**TOTAL FOR BASE CONTRACT AND OPTIONS.....\$159,395.00.**

**NON-STANDARD OPTIONS****AERIAL TOWER AND ACCESSORIES**

- Provide 6" shorter pedestal than standard. No Charge
- SC-950 Single handle control to operate lower boom. No Charge
- Lengthen subframe to accommodate special length body. \$1200.00
- FF-370 couplers at platform tool outlets. No Charge
- CB-18 jib socket cover. \$20.00
- High stow upper boom with access steps to top of sidebox. \$380.00
- Two (2) speed throttle control at curbside rear of tailshelf. \$325.00
- Delete safety harnesses and lanyards. DEDUCT (\$240.00)
- Install larger restrictor orifice in bucket rotator system. \$160.00

**BODY AND ACCESSORIES**

- Special 165" long body with special compartmentation and accessories to Oberlin specifications. Includes the following: \$3200.00
  - Special compartmentation (see following sheet).
  - Rigid spring style door holders.
  - Removable tailboards around perimeter of tailshelf.
  - Streetside rear grab rail.
  - 60" streetside cargo material rail with 6 sliding hooks.
  - 48" transverse material rail with 4 sliding hooks.
  - Four (4) locking swivel material hooks curbside cargo wall.
  - Rubber door bumpers for horizontal compartment doors.
  - Aluminum gripstrut top of curbside from #3 compt. to rear.
  - 144" long, 20" wide aluminum ladder rack for top streetside.
- Swing-out copper ground wire spool carrier. \$345.00
- Spring return ground reel with 1/0 x 40' cable and clamp. includes grounding of tower, body, and reel to a single point on chassis frame. \$1350.00
- Bicycle style wire rack in cargo area for Triplex hand coils. \$475.00
- Install fire extinguisher and provide cover bag. \$35.00
- Two (2) fold-down ring style front bumper cone holders. \$480.00
- Non-skid coating applied to cargo area and tailshelf floors. No Charge

**ELECTRICAL ACCESSORIES**

- Betts 315003 flood light installed on boom rest facing rear. \$375.00
- Kelsey 81741 brake controller installed in cab. \$325.00
- Dimensions TMC-12/1800N 1800 watt pure sine wave inverter installed in the bottom of the curbside rear vertical compartment, with GFI receptacle on curbside rear body panel, and removable cover over inverter in compt. \$2895.00
- Warner 1300-100-006 trailer receptacle. \$100.00

**CHASSIS CAB**

- Chassis air horn. \$75.00
- Goodyear G164RTD or equal aggressive tread rear tires. No charge
- Butterfly hatch on chassis hood. \$295.00

**TOTAL OF NON-STANDARD OPTIONS.....\$11,795.00.**

**TOTAL PACKAGE PRICE, ALL  
STANDARD AND NON-STANDARD ITEMS.....\$171,190.00.**

**NOTE: A SEPARATE PURCHASE ORDER MUST BE ISSUED FOR THE NON-STANDARD OPTIONS AT THE SAME TIME AS THE ORDER FOR THE BASE CONTRACT WITH STANDARD OPTIONS.**

## **SPECIAL OBERLIN BODY COMPARTMENTATION**

### **CURBSIDE COMPARTMENTATION**

First Vertical 25.75" - Fiberglass transverse compartment with aluminum treadplate overlay, installed between the #1 compartments. Includes a full width flat shelf with no lip, 10" down from top, extending fully into each #1 compartment. Shelf to be open for access from both sides.

Full height vertical partition installed on body centerline below top transverse shelf. Partition extends from bottom of shelf to transverse floor, to divide each half into a 29" wide section.

Three (3) full width pull-out material drawers on curbside under transverse shelf. Drawers extend fully into the curbside #1 compartment. Bottom drawer is 6" deep, top two (2) drawers are 4" deep. Each drawer to be equipped with removable criss-cross dividers and a spring loaded retaining latch.

Second Vertical 25.25" - Access opening to body cargo area. Two (2) gripstrut steps in access opening, evenly spaced, with bottom step flush with bottom of body sidebox. An opening shall be provided between the back of each step and riser panel to allow mud and ice to fall through. Includes two (2) 45 degree angled grab handles, one (1) each side of access opening.

6" removable composite retainer board installed across access opening at cargo floor level.

Third Vertical 21.25" - Three (3) adjustable shelves with adjustable dividers.

Fourth Horizontal 53.50" - Two (2) full length shelves with twelve (12) adjustable dividers each, one (1) in center and one (1) on bottom of compartment.

Fifth Vertical 39.68" - Seven (7) locking swivel material hooks mounted as high as possible, 2-3-2.

### **STREETSIDE COMPARTMENTATION**

Hotstick shelf located in the top of streetside sidebox, 10" down from top, running from the front of the second vertical compartment to the rear of the body, with a drop down access door on rear body panel.

First Vertical 25.75" - Access to upper transverse compartment shelf (note - this shelf extends fully into this compartment).

One (1) full width pull-out material drawer on streetside under transverse shelf. Drawer extends fully into the curbside #1 compartment. Drawer is 12" deep, equipped with a spring loaded retaining latch.

Second Vertical 19.25" - Five (5) locking swivel hooks high as possible, 1-3-1.

12" high, 16" wide bottom opening in the compartment divider bulkhead between the #2 and #3 vertical compartments. Includes vent on back wall near bottom.

Third Vertical 27.25" - Three (3) adjustable shelves with adjustable dividers.

Fourth Horizontal 53.50" - Full length bottom shelf with twelve (12) adjustable dividers.

Fifth Vertical 39.68" - Seven (7) locking swivel material hooks mounted as high as possible, 2-3-2.